




CUBICLES DESIGN 30

CLASSICAL · ROBUST
BEST PRICE PERFORMANCE





CONTENT

PRIVACY SOLUTIONS	4
LASER EDGE BAND	5
PANEL MATERIAL	6
COLOUR RANGE	7
DESIGN 30 RW / 30 NR	8 - 9
DESIGN 30 FT / 30 FN	10 - 11
VERSIONS	12 - 13
QUALITY STANDARDS	14 - 15
ACCESSORIES	16 - 17
URINAL SCREENS	18
PROFILES	19
EXAMPLES	20 - 21
TECHNICAL DETAILS	22 - 23



PRIVACY SOLUTIONS

Products from meta

meta offers numerous solutions with multiple versions, to create your privacy.
We provide suitable solutions for all requirements.

We are the close and reliable partner to architects, planners, craftsmen and building authorities.



Quality

Our products meet your requirements.
Quality made in Germany.



Price/Service

We know that the price-performance relationship must be right and offer fair prices.



Innovation

We enjoy trying new things and are open-minded about changes.



Speed

We are fast. Your order can usually be produced within hours.



Delivery reliability

We don't let you down. We guarantee delivery on time.



Sustainability

We practice sustainable waste management and use environmentally friendly energy.



Technology

Our production works with the latest technology. This guarantees precision and a reliable high quality.




Assembly

Assembly is carried out by trained fitters. Customers may also choose self-installation with detailed installation manuals.

HIGHLIGHTS

- Perfect look
- More resistant than conventional edges
- Welded by high performance laser without traditional hot melt
- Increased bonding results
- No gap between edgeband and panel
- Meets highest quality requirements




LASER EDGE BAND

The perfect finish

Laser technology means first-class bonding results with a quality never reached before. The surface of the edging is melted with a laserbeam and pressed directly to the panel.

The result:

Edges of highest quality.



Perfect transition
from edgeband to panel.

PANEL MATERIALS

Wet & dry

Wet and dry area in one design

You need systems for wet and dry areas and want to design the rooms in the same look?

Our wet area system NR is absolutely water resistant and does not differ optically from the dry area system RW.

The perfect concept for a uniform look.

DRY AREA RW / FT

- Made of 30 mm chipboard coated with textured melamine resin on both sides
- Visible edges with laser edgeband
- Suitable for normal use in dry areas




WET AREA NR / FN

- The 30 mm panel consists of a 24 mm high-strength waterproof PU-core with 3 mm HPL panels on both sides
- Dividing walls partly with waterproof rigid foam
- Suitable for higher requirements in wet areas

COLOUR RANGE

PANELS STANDARD COLOURS



90 White 22 Light Beige 81 Fango 70 Grey 75 Dark Grey 77 Graphite



18 Arctic 25 Yellow Green 31 Ruby Red 41 Mango 91 Pepper White 71 Pepper Grey

PANELS SPECIAL COLOURS with surcharge. Delivery time about 6 weeks.



33 Sanitary white 80 Black 74 Birch grey 02 Mona Lisa 19 Cappuccino 15 Burano 21 Signal red 13 Minola 11 Mandarin



62 Sea green 23 Lamar 17 Atlantic 54 Gentian Blue 36 Serenissima 92 Silverspruce 48 Oak 26 Arezzo 27 Prado

PANELS SPECIAL COLOURS MIRROR GLOSS only for 30 RW and 30 FT with surcharge.



85 SG White 75 SG Dark grey

PROFILES AND ACCESSORIES STANDARD COLOURS



White RAL 9010 Grey RAL 7038 Red RAL 3003 Yellow RAL 1021 Dark blue RAL 5011 Ultramarine RAL 5002 Black RAL 9005 Anodised look (only for hinges and with surcharge for rosettes) Aluminium anodized (only for profiles)

For technical reasons there might be a difference between RAL-colours and panel colours.

Due to technical printing reasons colours may differ from originals.

DESIGN RW / NR

Wet & dry area




WITH VISIBLE ALUMINIUM
DOOR STOP PROFILES



STANDARD VERSION

With support legs



DESIGN FT / FN

Wet & dry area




**FLUSH-MOUNTED WITH EMBEDDED
ALUMINIUM DOOR-STOP PROFILE**



STANDARD VERSION

With support legs



VERSIONS


Solutions for every requirement

We offer our cubicles in two heights according to DIN 18100 and DIN 18101. That way they fit perfectly into the room design and its door dimensions.

You can choose from several variants for floor and ceiling attachment to fully meet your individual requirements regarding design and function.


FLOATING

The support legs are placed 160 mm from the front inwards into the partition wall.



SUSPENDED

An aluminium supporting profile, 160 mm high, ensures a span up to approx. 5850 mm without support legs.






WITHOUT CLEARANCE

The cubicles are flush-mounted to the floor.




FULL-HEIGHT WITH PANELS

Panels are made of the same material as cubicles.



FULL-HEIGHT WITH GLASS

6 mm plexiglass transparent or ornamental.



Examples 30 RW/30 NR.
All versions also possible
as 30 FT/30FN.





HIGHLIGHTS WITHOUT EXTRA COST

- 3-roll stainless steel hinges with brass axle
- 12 panel colours
- 7 colours for nylon accessories
- 8 colours for aluminium profiles and stainless steel hinges
- Visible edges with laser edgeband
- Short delivery times
- Inspected by the TÜV

„HIGH QUALITY“ IS OUR STANDARD

Perfect design

We pay great attention to stable, durable and vandalism-proof designs. Consequently, 3-roll stainless steel hinges are part of the standard design of each cubicle. Also, high-quality aluminium profiles and nylon accessories in various colours are available at no extra cost.

You can choose between 12 standard colours for panels. All visible edges are furnished with laser edgebanding ensuring a very strong bonding. This process is unique in our industry and emphasizes once again the quality of our products.



3-roll stainless steel hinge



Aluminium tube 20 mm with
height-adjustable
nylon rosette



Nylon handle-set 23 mm



Nylon hook and buffer



Corner connection



Wall connection

LOTS OF OPTIONAL EXTRAS

Nylon, aluminium & stainless steel

We offer a wide range of accessories: whether items of nylon which are optimally matched to our colour range, or sleek aluminium or high-quality stainless steel.

All items convince by quality, functionality and high-quality. This makes them a permanent part of our product range.

NYLON



Roll holder



Spare roll holder



WC-symbols



Hook with buffer



Toilet brush set

ALUMINIUM



Single handed lock



Roll holder



Spare roll holder




Toilet brush set

STAINLESS STEEL OR ALUMINIUM



Handle-sets U-shaped or L-shaped



Hook



Buffer



Hook with buffer

STAINLESS STEEL



Single handed lock




Rosette



Handlebar round



Handlebar flat



Roll holder



Spare roll holder



Bürstengarnitur



Support angle urinal screen



WC-symbols

CLAMP PROTECTION AT HINGE SIDE

Inner door



Outer door



The hinges and the clamp protection profile are visible on the surface on doors that open outwards.



URINAL SCREENS

Discretely divided

WALL MOUNTED

30 mm version:

Made of the same material as cubicle front. Wall attachment with two powder coated support angles.



Support angles
Aluminium



Glass version:

Consists of two pieces of glass with a glued-in matt foil. The surface therefore is smooth on both sides.

The front edges are rounded-off in a radius of 100 mm.

Wall attachment with four stainless steel support angles.




WITH SUPPORT LEG











Made of the same material as cubicle front.

Wall attachment with two powder coated support angles.

Floor-mounting with a support leg.



PROFILES



EXAMPLES

Our cubicles design rooms

We manufacture everything individually according to your requirements: from a simple WC-cubicle to designer installations. Let yourself be inspired!

Whichever version you choose – all our products are robust, durable and can be easily cleaned.

FULL-HEIGHT

- Design 30 FT / 30 FN-LFB
- Stainless steel handle sets
- Ruby Red panels



WITHOUT CLEARANCE

- Design 30 RW / 30 NR
- Aluminium anodized profiles
- Stainless steel single-handed locks
- White panels



SUSPENDED

- Design 30 RW / 30 NR
- Aluminium anodized profiles
- Aluminium handle sets
- Grey/ruby red panels

WITH SUPPORT LEGS


- Design 30 RW / 30 NR standard
- Aluminium anodized profiles
- Stainless steel handle sets and rosettes
- Graphite panels



WITH SUPPORT LEGS

- Design 30 FT / 30 FN standard
- Aluminium anodized profiles
- Stainless steel handle sets and rosettes
- Graphite/Yellow Green panels





TESTED BY GERMAN TÜV

Safety is our top priority

Our cubicles and lockers are inspected by TÜV and allow us to issue the GS mark for tested safety.

This ensures that our products meet the quality and safety standards of the German Product Safety Act.



TECHNICAL DETAILS

TECHNICAL DETAILS 30 RW + 30 NR STANDARD VERSION

Front walls

Panel material optionally 30 RW or 30 NR. All visible edges seamlessly coated with laser edgeband. An aluminium top-profile, 43 x 20 mm, covers the entire length of the front wall and ensures high stability. In the area of the wall connections, this is provided with aluminium cover caps to achieve a clean finish. Wall connections with aluminium U-profiles 33 x 30 mm.

Doors

Same material as front walls. All visible edges seamlessly coated with laser edgeband. All corners and edges are round with a radius of 3 mm. Aluminium door-stop profile, 38 x 18 mm, with rubber seal on lock side for silent closing.

Partitions

Same material as front walls. All visible edges seamlessly coated with laser edgeband. Wall and front connections with aluminium U-profiles 33 x 30 mm. With 30 NR, all side- and partition walls must be butted from 129 cm.

TECHNICAL DETAILS 30 FT + 30 FN STANDARD VERSION

Front walls

Panel material optionally 30 FT oder 30 FN. All visible edges seamlessly coated with laser edgeband. An aluminium top-profile, 43 x 20 mm, covers the entire length of the front wall and ensures high stability. In the area of the wall connections, this is provided with aluminium cover caps to achieve a clean finish. Wall connections with aluminium U-profiles 33 x 30 mm. Wall connections with shadow gap are possible at surcharge. Cut-outs only possible with U-profiles.

Doors

Same material as front walls. All visible edges seamlessly coated with laser edgeband. All corners and edges are round with a radius of 3 mm. Milled aluminium door-stop-profile, 21 x 17,5 mm, with rubber seal on lock side for silent closing. To cover the door gap, a plastic beading is applied on the hinge side.

Partitions

Same material as front walls. All visible edges seamlessly coated with laser edgeband. Wall and front connections with aluminium U-profiles 33 x 30 mm. With 30 FN, all side- and partition walls must be butted from 129 cm.

ALL PRODUCT INFORMATION ONLINE
WWW.META.DE



www.meta.de



meta Trennwandanlagen GmbH & Co. KG

Metastraße 2 | 56579 Rengsdorf | Germany

Tel.: +49 2634 66-0 | Fax: +49 2634 66-450

info@meta.de

30-01-15

